



Fluid Fittings

By Hydramatic

Central lubrication catalog

Fittings and accessories



Pipe fittings 24°

Straight male stud tapered	05
Straight male stud metal sealing	07
Straight male stud captive sealing	08
Straight male stud - NPT	09
Straight connector	10
Straight reducer	11
Elbow male stud tapered	12
Elbow male stud - NPT	14
Elbow connector	15
Tee connector	16
Straight bulkhead connector	17
Elbow bulkhead connector	18
Straight bulkhead connector – female thread	19
Straight bulkhead connector – grease nipple	20
Adjustable Elbow connector	21
Adjustable tee connector	22
Adjustable run tee connector	23
Elbow Banjo connector	24
Nut	25
Cutting ring – single edge	26
Cutting ring – double edge	27

Reusable fittings

Screw sleeves	28
Hose studs straight	29
Hose studs 45°	31
Hose studs 90°	33
Hose studs – specials	35

Crimp fittings

Crimping ferrules	38
Straight crimping hose studs	39
Crimping hose studs 45°	40
Crimping hose studs 90°	41

High pressure hoses

High pressure hoses	42
---------------------	----

Polyamide tubes

Polyamide tubes	43
Polyamide multi-tubes	44

Polyamide tubes – accessories

Tube insert	45
Union screw	46
Double cone ring	47
Cone ring with shank	48
Cone ring reducer	49

Push in connectors

Straight male stud - push in	50
Elbow male stud - push in	51
Elbow rotatable male stud - push in	52
Straight connector - push in	53
Elbow connector - push in	54
Tee connector - push in	55
Check valve - push in	56
Dust cap - push in	58

Non-return valve connectors

Non-return valve	59
------------------	----

Extension – adapters

Extension adapter	63
Adapter 45°	65
Adapter 90°	66

Greasing blocks

Greasing block – straight drilling	67
Greasing block – t drilling	68
Greasing block – assembled	71

Screw plugs

Screw plug – soft sealing	73
Screw plug – sealing cone	74
Screw plug - metal sealing	75

Grease nipples

Grease nipple straight – high pressure	76
Grease nipple straight	77
Grease nipple 45°	78
Grease nipple 90°	79
Grease nipple - protection cap	80

Grease filler - filling adapter

Cartridge grease filler	81
Straight filling adapter	82
Straight filling adapter – non-return valve	83
Elbow filling adapter	84
Elbow filling adapter – non-return valve	85

ISO-B Quick connectors

ISO-B male/female	86
-------------------	----

Pressure gauge

Pressure gauge	87
Pressure gauge connector	88
Adjustable pressure gauge connector	89

Fastening- and protection material

Spiral wrap	90
Corrugated conduit	91
Protective spring	92
Hose clamp – rubber insert	93
Hose clamp – single mounting	95
Hose clamp – double mounting	96
Cable ties	98

Specials


Socket	99
Elbow banjo swivel	100
Elbow adapter	101
Swivel connector	102
T-Banjo connector	103
Elbow male stud - grease nipple	104

Order reference

Article description explanation



Fluid Fittings
By Hydynamic



ZINI Zinc-nickel coated steel	ZINI-B Zinc-nickel black coated steel	SS Stainless steel 316Ti (1.4571)	BS Brass	CF Galvanized steel Cr(VI)-free	NBR Nitrile rubber	NI Nickel plated	EPDM Ethylene propylene rubber	FPM Fluoro Rubber	HNBR Hydrogenated Nitrile Butadiene Rubber
---	---	---	--------------------	---	------------------------------	----------------------------	--	-----------------------------	--

This catalog features items commonly used in the lubrication industry. Upon request, a wide range of additional sizes and dimensions are available. In addition, we have the capability to manufacture products according to your specifications, drawings, or samples. Please feel free to contact us to explore the possibilities.

Copyright Notice and Disclaimer

Hydynamic Holland B.V.


The contents of this publication are the property of the publisher and are protected by copyright. No part of this publication may be reproduced, in whole or in part, without prior written permission from the publisher.

All information provided in this catalog is subject to change without notice and is offered without any guarantee. Every effort has been made to ensure the accuracy of the information contained herein, however, the publisher accepts no liability for any loss or damage whether direct, indirect, or consequential arising from the use of this information.



Straight male stud

24° cone end/Male taper thread

DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0413-0004-0406	GE 04 LLM 06x0,75 ZINI	4	LL	M6x0,75 tap	26	8	10	10
0413-0003-0406	GE 04 LLM 06x1 ZINI	4	LL	M6x1 tap	26	8	10	10
0413-0003-0408	GE 04 LLM 08x1 ZINI	4	LL	M8x1 tap	26	8	10	10
0413-0004-0408	GE 04 LLM 08X1,25 ZINI	4	LL	M8x1,25 tap	26	8	10	10
0413-0003-0410	GE 04 LLM 10x1 ZINI	4	LL	M10x1 tap	26	8	11	10
0413-0003-0606	GE 06 LLM 06x1 ZINI	6	LL	M6x1 tap	26	8	11	12
0413-0003-0608	GE 06 LLM 08x1 ZINI	6	LL	M8x1 tap	26	8	11	12
0413-0004-0608	GE 06 LLM 08X1,25 ZINI	6	LL	M8x1,25 tap	26	8	11	12
0413-0003-0610	GE 06 LLM 10x1 ZINI	6	LL	M10x1 tap	26	8	11	12
0413-0003-0810	GE 08 LLM 10x1 ZINI	8	LL	M10x1 tap	28	8	12	14
0413-0103-0402	GE 04 LLR 1/8 ZINI	4	LL	R1/8 tap	26	8	11	10
0413-0103-0602	GE 06 LLR 1/8 ZINI	6	LL	R1/8 tap	26	8	11	12
0413-0103-0802	GE 08 LLR 1/8 ZINI	8	LL	R1/8 tap	28	8	12	14
0413-0103-0804	GE 08 LLR 1/4 ZINI	8	LL	R1/4 tap	32	12	14	14
0416-0123-0602	GE 06 LRT 1/8 ZINI	6	L	R1/8 tap	30	8	12	14
0416-0123-0604	GE 06 LRT 1/4 ZINI	6	L	R1/4 tap	35	12	17	14
0416-0123-0802	GE 08 LRT 1/8 ZINI	8	L	R1/8 tap	31	8	17	17
0416-0123-0804	GE 08 LRT 1/4 ZINI	8	L	R1/4 tap	35	12	17	17

Multiple sizes and dimensions available on request.


Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0413-2003-0406	GE 04 LLM 06x1 SS	4	LL	M6x1 tap	26	8	10	10
0413-2003-0408	GE 04 LLM 08x1 SS	4	LL	M8x1 tap	26	8	10	10
0413-2003-0410	GE 04 LLM 10x1 SS	4	LL	M10x1 tap	26	8	11	10
0413-2003-0606	GE 06 LLM 06x1 SS	6	LL	M6x1 tap	26	8	11	12
0413-2003-0608	GE 06 LLM 08x1 SS	6	LL	M8x1 tap	26	8	11	12
0413-2004-0608	GE 06 LLM 8x1,25 SS	6	LL	M8x1,25 tap	28	8	12	14
0413-2003-0610	GE 06 LLM 10x1 SS	6	LL	M10x1 tap	26	8	11	12
0413-2003-0806	GE 08 LLM 06x1 SS	8	LL	M6x1 tap	28	8	12	14
0413-2003-0808	GE 08 LLM 08x1 SS	8	LL	M8x1 tap	28	8	12	14
0413-2003-0810	GE 08 LLM 10x1 SS	8	LL	M10x1 tap	28	8	12	14
0413-2103-0402	GE 04 LLR 1/8 SS	4	LL	R1/8 tap	26	8	11	10
0413-2103-0602	GE 06 LLR 1/8 SS	6	LL	R1/8 tap	26	8	11	12
0413-2103-0604	GE 06 LLR 1/4 SS	6	LL	R1/4 tap	31	12	14	12
0413-2103-0802	GE 08 LLR 1/8 SS	8	LL	R1/8 tap	28	8	12	14
0413-2103-0804	GE 08 LLR 1/4 SS	8	LL	R1/4 tap	32	12	14	14
0416-2123-0602	GE 06 LRT 1/8 SS	6	L	R1/8 tap	30	8	12	14
0416-2123-0604	GE 06 LRT 1/4 SS	6	L	R1/4 tap	35	12	17	14
0416-2123-0804	GE 08 LRT 1/4 SS	8	L	R1/4 tap	35	12	17	17

Multiple sizes and dimensions available on request.



Straight male stud

24° cone end/Male parallel thread - metal sealing edge

DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0413-0023-0610	GE 06 LM 10x1 ZINI	6	L	M10x1	31,5	8	14	14
0413-0023-0614	GE 06 LM 14x1,5 ZINI	6	L	M14x1,5	38	12	19	14
0413-0023-0810	GE 08 LM 10x1 ZINI	8	L	M10x1	31,5	8	14	17
0413-0023-1010	GE 10 LM 10x1 ZINI	10	L	M10x1	33,5	8	17	19
0413-0023-1014	GE 10 LM 14x1 ZINI	10	L	M14x1,5	38	12	19	19
0413-0123-0602	GE 06 LR 1/8 ZINI	6	L	R1/8	31,5	8	14	14
0413-0123-0604	GE 06 LR 1/4 ZINI	6	L	R1/4	37	12	19	14
0413-0123-0802	GE 08 LR 1/8 ZINI	8	L	R1/8	32,5	8	14	17
0413-0123-0804	GE 08 LR 1/4 ZINI	8	L	R1/4	37	12	19	17
0413-0123-1002	GE 10 LR 1/8 ZINI	10	L	R1/8	33,5	8	17	19
0413-0123-1004	GE 10 LR 1/4 ZINI	10	L	R1/4	38	12	19	19
0413-0133-0604	GE 06 SR 1/4 ZINI	6	L	R1/4	40	12	19	17
0413-0133-0804	GE 08 SR 1/4 ZINI	8	L	R1/4	42	12	19	19
0413-2123-0602	GE 06 LR 1/8 SS	6	L	R1/8	31,5	8	14	14
0413-2123-0604	GE 06 LR 1/4 SS	6	L	R1/4	37	12	19	14
0413-2123-0802	GE 08 LR 1/8 SS	8	L	R1/8	32,5	8	14	17
0413-2123-0804	GE 08 LR 1/4 SS	8	L	R1/4	37	12	19	17
0413-2123-1004	GE 10 LR 1/4 SS	10	L	R1/4	38	12	19	19
0413-2133-0604	GE 06 SR 1/4 SS	6	L	R1/4	40	12	19	17
0413-2133-0804	GE 08 SR 1/4 SS	8	L	R1/4	42	12	19	19



Multiple sizes and dimensions available on request.

Straight male stud

24° cone end/Male parallel thread - soft sealing NBR
DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0414-0023-0610	GE 06 LM 10x1 ED ZINI/NBR	6	L	M10x1	31,5	8	14	14
0414-0023-0810	GE 08 LM 10x1 ED ZINI/NBR	8	L	M10x1	31,5	8	14	17
0414-0023-0814	GE 08 LM 14x1,5 ED ZINI/NBR	8	L	M14x1,5	37	12	19	17
0414-0023-1010	GE 10 LM 10x1 ED ZINI/NBR	10	L	M10x1	34	8	17	19
0414-0023-1014	GE 10 LM 14x1,5 ED ZINI/NBR	10	L	M14x1,5	38	12	19	19
0414-0123-0602	GE 06 LR 1/8 ED ZINI/NBR	6	L	R1/8	31,5	8	14	14
0414-0123-0604	GE 06 LR 1/4 ED ZINI/NBR	6	L	R1/4	37	12	19	14
0414-0123-0802	GE 08 LR 1/8 ED ZINI/NBR	8	L	R1/8	32,5	8	14	17
0414-0123-0804	GE 08 LR 1/4 ED ZINI/NBR	8	L	R1/4	37	12	19	17
0414-0123-1004	GE 10 LR 1/4 ED ZINI/NBR	10	L	R1/4	38	12	19	19



Multiple sizes and dimensions available on request.

Straight male stud

24° cone end/Male NPT thread
DIN2353



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0417-0103-0402	GE 04 LL 1/8 NPT ZINI	4	LL	1/8 NPT	28	10	11	10
0417-0103-0602	GE 06 LL 1/8 NPT ZINI	6	LL	1/8 NPT	28	10	11	12
0417-0103-0802	GE 08 LL 1/8 NPT ZINI	8	LL	1/8 NPT	30	10	12	14
0417-0123-0602	GE 06 L 1/8 NPT ZINI	6	L	1/8 NPT	32	10	12	14
0417-0123-0604	GE 06 L 1/4 NPT ZINI	6	L	1/4 NPT	38	14,5	17	14
0417-0123-0802	GE 08 L 1/8 NPT ZINI	8	L	1/8 NPT	33	10	14	17
0417-0123-0804	GE 08 L 1/4 NPT ZINI	8	L	1/4 NPT	38	14,5	17	17

Multiple sizes and dimensions available on request.


Straight connector

24° cone end

DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	L1	SW1	SW2
0425-0003-0400	G 04LL ZINI	4	LL	32	9	10
0425-0003-0600	G 06LL ZINI	6	LL	32	11	12
0425-0003-0800	G 08LL ZINI	8	LL	35	12	14
0425-0003-1000	G 10LL ZINI	10	LL	37,5	14	17
0425-0023-0600	G 06L ZINI	6	L	40	12	14
0425-0023-0800	G 08L ZINI	8	L	41	14	17
0425-0023-1000	G 10L ZINI	10	L	43	17	19
0425-0033-0600	G 06S ZINI	6	S	46	14	17
0425-0033-0800	G 08S ZINI	8	S	48	17	19
0425-0033-1000	G 10S ZINI	10	S	50	19	22
0425-2023-0600	G 06L SS	6	L	40	12	14
0425-2023-0800	G 08L SS	8	L	41	14	17
0425-2023-1000	G 10L SS	10	L	43	17	19
0425-2033-0600	G 06S SS	6	S	46	14	17
0425-2033-0800	G 08S SS	8	S	48	17	19
0425-2033-1000	G 10S SS	10	S	50	19	22

Multiple sizes and dimensions available on request.



Straight reducer

24° cone end

DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	ØD1	L1	SW1	SW2	SW3
0460-0003-0604	GR 06-04LL ZINI	6	LL	4	32	11	12	10
0460-0003-0804	GR 08-04LL ZINI	8	LL	4	34	12	14	10
0460-0003-0806	GR 08-06LL ZINI	8	LL	6	34	12	14	12
0460-0023-0806	GR 08-06L ZINI	8	L	6	41	14	17	14
0460-0023-1006	GR 10-06L ZINI	10	L	6	42	17	19	14
0460-2003-0604	GR 06-04LL SS	6	LL	4	32	11	12	10
0460-2003-0806	GR 08-06LL SS	8	LL	6	34	12	14	12
0460-2023-0806	GR 08-06L SS	8	L	6	41	14	17	14
0460-2023-1006	GR 10-06L SS	10	L	6	42	17	19	14


Multiple sizes and dimensions available on request.

Elbow male stud

24° cone end/Male taper thread
DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0419-0003-0406	WE 04 LLM 6x1 ZINI Profile	4	LL	M6x1	21	17	11	10
0419-0003-0408	WE 04 LLM 8x1 ZINI Profile	4	LL	M8x1	21	17	11	10
0419-0003-0410	WE 04 LLM 10x1 ZINI Profile	4	LL	M10x1	21	17	11	10
0419-0003-0606	WE 06 LLM 6x1 ZINI Profile	6	LL	M6x1	21	17	11	12
0419-0003-0608	WE 06 LLM 8x1 ZINI Profile	6	LL	M8x1	21	17	11	12
0419-0004-0608	WE 06 LLM 8x1,25 ZINI Profile	6	LL	M8x1,25	21	17	11	12
0419-0003-0610	WE 06 LLM 10x1 ZINI Profile	6	LL	M10x1	21	17	11	12
0419-0003-0810	WE 08 LLM 10x1 ZINI Profile	8	LL	M10x1	23	18	12	14
0419-0103-0402	WE 04 LLR 1/8 ZINI Profile	4	LL	R1/8	21	17	11	10
0419-0103-0602	WE 06 LLR 1/8 ZINI Profile	6	LL	R1/8	21	17	11	12
0419-0103-0802	WE 08 LLR 1/8 ZINI Profile	8	LL	R1/8	23	18	12	14
0419-0023-0610	WE 06 LM 10x1 ZINI	6	L	M10x1	27	20	12	14
0419-0123-0602	WE 06 LR 1/8 ZINI	6	L	R1/8	27	20	12	14
0419-0123-0604	WE 06 LR 1/4 ZINI Profile	6	L	R1/4	29	26	12	14
0419-0123-0802	WE 08 LR 1/8 ZINI	8	L	R1/8	29	26	12	17
0419-0123-0804	WE 08 LR 1/4 ZINI	8	L	R1/4	29	26	12	17
0419-0123-1002	WE 10 LR 1/8 ZINI	10	L	R1/8	30	20	14	19
0419-0123-1004	WE 10 LR 1/4 ZINI	10	L	R1/4	30	27	14	19

Multiple sizes and dimensions available on request.

Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0419-2003-0406	WE 04 LLM 6x1 SS	4	LL	M6x1	21	17	11	10
0419-2003-0408	WE 04 LLM 8x1 SS	4	LL	M8x1	21	17	11	10
0419-2003-0410	WE 04 LLM 10x1 SS	4	LL	M10x1	21	17	11	10
0419-2003-0606	WE 06 LLM 6x1 SS	6	LL	M6x1	21	17	11	12
0419-2003-0608	WE 06 LLM 8x1 SS	6	LL	M8x1	21	17	11	12
0419-2003-0610	WE 06 LLM 10x1 SS	6	LL	M10x1	21	17	11	12
0419-2003-0810	WE 08 LLM 10x1 SS	8	LL	M10x1	23	20	12	14
0419-2103-0402	WE 04 LLR 1/8 SS	4	LL	R1/8	21	17	11	10
0419-2103-0602	WE 06 LLR 1/8 SS	6	LL	R1/8	21	17	11	12
0419-2103-0802	WE 08 LLR 1/8 SS	8	LL	R1/8	23	20	12	14
0419-2023-0610	WE 06 LM 10x1 SS	6	L	M10x1	27	20	12	14
0419-2123-0602	WE 06 LR 1/8 SS	6	L	R1/8	27	20	12	14
0419-2123-0604	WE 06 LR 1/4 SS	6	L	R1/4	29	26	12	14
0419-2123-0802	WE 08 LR 1/8 SS	8	L	R1/8	29	26	12	17
0419-2123-0804	WE 08 LR 1/4 SS	8	L	R1/4	29	26	12	17
0419-2123-1004	WE 10 LR 1/4 SS	10	L	R1/4	30	27	14	19


Multiple sizes and dimensions available on request.

Elbow male stud

24° cone end/Male NPT thread
DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0420-0103-0402	WE 04 LLR 1/8 NPT ZINI	4	LL	1/8 NPT	21	17	11	10
0420-0103-0602	WE 06 LLR 1/8 NPT ZINI Profile	6	LL	1/8 NPT	21	17	11	12
0420-0123-0602	WE 06 LR 1/8 NPT ZINI	6	L	1/8 NPT	27	20	12	14
0420-0123-0604	WE 06 LR 1/4 NPT ZINI	6	L	1/4 NPT	29	26	12	14

Multiple sizes and dimensions available on request.


Elbow connector

24° cone end

DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	L1	SW1	SW2
0426-0003-0400	W 04LL ZINI	4	LL	21	9	10
0426-0003-0600	W 06LL ZINI	6	LL	21	9	12
0426-0003-0800	W 08LL ZINI	8	LL	23	12	14
0426-0003-1000	W 10LL ZINI	10	LL	27	14	17
0426-0023-0600	W 06L ZINI	6	L	27	12	14
0426-0023-0800	W 08L ZINI	8	L	29	12	17
0426-0023-1000	W 10L ZINI	10	L	30	14	19
0426-0033-0600	W 06S ZINI	6	S	31	12	17
0426-0033-0800	W 08S ZINI	8	S	32	14	19
0426-0033-1000	W 10S ZINI	10	S	34	17	22
0426-2003-0400	W 04LL SS	4	LL	21	9	10
0426-2003-0600	W 06LL SS	6	LL	21	9	12
0426-2023-0600	W 06L SS	6	L	27	12	14
0426-2023-0800	W 08L SS	8	L	29	12	17
0426-2023-1000	W 10L SS	10	L	30	14	19
0426-2033-0600	W 06S SS	6	S	31	12	17
0426-2033-0800	W 08S SS	8	S	32	14	19
0426-2033-1000	W 10S SS	10	S	34	17	22

Multiple sizes and dimensions available on request.


Tee connector

24° cone end

DIN2353



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	Serie	G	L1	L2
0427-0003-0400	T 04LL ZINI	4	LL	21	9	10
0427-0003-0600	T 06LL ZINI	6	LL	21	9	12
0427-0003-0800	T 08LL ZINI	8	LL	23	12	14
0427-0003-1000	T 10LL ZINI	10	LL	27	14	17
0427-0023-0600	T 06L ZINI	6	L	27	12	14
0427-0023-0800	T 08L ZINI	8	L	29	12	17
0427-0023-1000	T 10L ZINI	10	L	30	14	19
0427-0033-0600	T 06S ZINI	6	S	31	12	17
0427-0033-0800	T 08S ZINI	8	S	32	14	19
0427-0033-1000	T 10S ZINI	10	S	34	17	22
0427-2003-0400	T 04LL SS	4	LL	21	9	10
0427-2003-0600	T 06LL SS	6	LL	21	9	12
0427-2023-0600	T 06L SS	6	L	27	12	14
0427-2023-0800	T 08L SS	8	L	29	12	17
0427-2023-1000	T 10L SS	10	L	30	14	19
0427-2033-0600	T 06S SS	6	S	31	12	17
0427-2033-0800	T 08S SS	8	S	32	14	19
0427-2033-1000	T 10S SS	10	S	34	17	22

Multiple sizes and dimensions available on request.


Straight bulkhead connector

24° cone end

DIN2353



Fluid Fittings
By Hydynamic



Pipe fittings 24°


Item No.	Description	ØD	Serie	L1	L2	SW1	SW2	SW3
0429-0023-0600	SV 06L ZINI	6	L	42	22	17	17	14
0429-0023-0800	SV 08L ZINI	8	L	42	23	19	19	17
0429-0023-1000	SV 10L ZINI	10	L	43	25	22	22	19
0429-0033-0600	SV 06S ZINI	6	S	44	27	19	19	17
0429-0033-0800	SV 08S ZINI	8	S	44	28	22	22	19
0429-0033-1000	SV 10S ZINI	10	S	46	31	24	24	22
0429-2023-0600	SV 06L SS	6	L	42	22	17	17	14
0429-2023-0800	SV 08L SS	8	L	42	23	19	19	17
0429-2023-1000	SV 10L SS	10	L	43	25	22	22	19
0429-2033-0600	SV 06S SS	6	S	44	27	19	19	17

Multiple sizes and dimensions available on request.



Elbow bulkhead connector

24° cone end

DIN2353



Fluid Fittings
By Hydynamic



Pipe fittings 24°

Item No.	Description	ØD	Serie	L1	L2	SW1	SW2	SW3
0430-0023-0600	WSV 06L ZINI	6	L	42	27	12	17	14
0430-0023-0800	WSV 08L ZINI	8	L	42	29	12	19	17
0430-0023-1000	WSV 10L ZINI	10	L	43	30	14	22	19
0430-0033-0600	WSV 06S ZINI	6	S	44	31	12	19	17
0430-0033-0800	WSV 08S ZINI	8	S	44	32	14	22	19
0430-0033-1000	WSV 10S ZINI	10	S	46	34	17	24	22
0430-2023-0600	WSV 06L SS	6	L	42	27	12	17	14
0430-2023-0800	WSV 08L SS	8	L	42	29	12	19	17
0430-2023-1000	WSV 10L SS	10	L	43	30	14	22	19
0430-2033-0600	WSV 06S SS	6	S	44	31	12	19	17

Multiple sizes and dimensions available on request.



Straight bulkhead connector

24° cone end/Female parallel thread

DIN2353



Fluid Fittings
By Hydynamic




Pipe fittings 24°

Item No.	Description	ØD	Serie	L1	L2	SW1	SW2	SW3
0429-0023-0610	SV 06L - IGM10x1 ZINI	6	L	75	20	14	17	17


Multiple sizes and dimensions available on request.

Straight bulkhead connector

24° cone end/Male parallel thread - with grease nipple
DIN2353



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	Serie	L1	L2	SW1	SW2	SW3
0413-0023-0611	SV 06L - IGM6x1 ZINI with grease nipple	6	L	23	17,5	14	17	14

Multiple sizes and dimensions available on request.


Adjustable elbow connector

24° cone end/ 24° adjustable cone end with o.ring

DIN2353



Fluid Fittings
By Hydynamic



Pipe fittings 24°

Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0439-0023-0600	EWD 06L ZINI/NBR	6	L	M12x1,5	27	26	12	14
0439-0023-0800	EWD 08L ZINI/NBR	8	L	M14x1,5	29	27,5	12	17
0439-0023-1000	EWD 10L ZINI/NBR	10	L	M16x1,5	30	29	14	19
0439-0033-0600	EWD 06S ZINI/NBR	6	S	M14x1,5	31	27	12	17
0439-0033-0800	EWD 08S ZINI/NBR	8	S	M16x1,5	32	27,5	14	19
0439-0033-1000	EWD 10S ZINI/NBR	10	S	M18x1,5	34	30	17	22
0439-2023-0600	EWD 06L SS/FPM	6	L	M12x1,5	27	26	12	14
0439-2023-0800	EWD 08L SS/FPM	8	L	M14x1,5	29	27,5	12	17
0439-2033-0600	EWD 06S SS/FPM	6	S	M14x1,5	31	27	12	17


Multiple sizes and dimensions available on request.

Adjustable tee connector

24° cone end/ 24° adjustable cone end with o.ring
DIN2353



Fluid Fittings
By Hydynamic



Pipe fittings 24°

Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0442-0023-0600	ETD 06L ZINI/NBR	6	L	M12x1,5	27	26	12	14
0442-0023-0800	ETD 08L ZINI/NBR	8	L	M14x1,5	29	27,5	12	17
0442-0023-1000	ETD 10L ZINI/NBR	10	L	M16x1,5	30	29	14	19
0442-0033-0600	ETD 06S ZINI/NBR	6	S	M14x1,5	31	27	12	17
0442-0033-0800	ETD 08S ZINI/NBR	8	S	M16x1,5	32	27,5	14	19
0442-0033-1000	ETD 10S ZINI/NBR	10	S	M18x1,5	34	30	17	22
0442-2023-0600	ETD 06L SS/FPM	6	L	M12x1,5	27	26	12	14
0442-2023-0800	ETD 08L SS/FPM	8	L	M14x1,5	29	27,5	12	17
0442-2033-0600	ETD 06S SS/FPM	6	S	M14x1,5	31	27	12	17

Multiple sizes and dimensions available on request.



Adjustable run tee connector

24° cone end/ 24° adjustable cone end with o.ring

DIN2353



Fluid Fittings
By Hydynamic



Pipe fittings 24°

Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2
0445-0023-0600	ELD 06L ZINI/NBR	6	L	M12x1,5	27	26	12	14
0445-0023-0800	ELD 08L ZINI/NBR	8	L	M14x1,5	29	27,5	12	17
0445-0023-1000	ELD 10L ZINI/NBR	10	L	M16x1,5	30	29	14	19
0445-0033-0600	ELD 06S ZINI/NBR	6	S	M14x1,5	31	27	12	17
0445-0033-0800	ELD 08S ZINI/NBR	8	S	M16x1,5	32	27,5	14	19
0445-0033-1000	ELD 10S ZINI/NBR	10	S	M18x1,5	34	30	17	22
0445-2023-0600	ELD 06L SS/FPM	6	L	M12x1,5	27	26	12	14
0445-2023-0800	ELD 08L SS/FPM	8	L	M14x1,5	29	27,5	12	17
0445-2033-0600	ELD 06S SS/FPM	6	S	M14x1,5	31	27	12	17


Multiple sizes and dimensions available on request.

Elbow banjo connector

24° cone end/ Male parallel thread - metal sealing edge
DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	SW1	SW2	SW2
0451-0003-0608	SWV 06 LLM 08x1 ZINI	6	LL	M8x1	20	6	15,5	14	12
0451-0003-0610	SWV 06 LLM 10x1 ZINI	6	LL	M10x1	20	6	15,5	14	12
0451-0003-0810	SWV 08 LLM 10x1 ZINI	8	LL	M10x1	20	6	15,5	14	14
0451-0103-0602	SWV 06 LLR 1/8 ZINI	6	LL	R1/8	20	6	15,5	14	12
0451-0103-0802	SWV 08 LLR 1/8 ZINI	8	LL	R1/8	20	6	15,5	14	14
0451-0023-0610	SWV 06 LM 10x1 ZINI	6	L	M10x1	22	6	16	14	14
0451-0123-0602	SWV 06 LR 1/8 ZINI	6	L	R1/8	22	6	16	14	14



Multiple sizes and dimensions available on request.

Nut

To be used with 24° cone end
DIN3870



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	SW1
0402-0000-0400	M 04 LL ZINI	4	LL	M8x1	11	10
0402-0000-0600	M 06 LL ZINI	6	LL	M10x1	12	12
0402-0001-0600	M 06 LL ZINI-B	8	LL	M12x1	12,5	14
0402-0000-0800	M 08 LL ZINI	8	LL	M12x1	12,5	14
0402-0020-0600	M 06 L ZINI	6	L	M12x1,5	14,5	14
0402-0020-0800	M 08 L ZINI	8	L	M14x1,5	14.5	17
0402-0030-0600	M 06 S ZINI	6	S	M14x1,5	16,5	17
0402-0030-0800	M 08 S ZINI	8	S	M16x1,5	16,5	19
0402-2000-0400	M 04 LL SS	4	LL	M8x1	11	10
0402-2000-0600	M 06 LL SS	6	LL	M10x1	12	12
0402-2000-0800	M 08 LL SS	8	LL	M12x1	12,5	14
0402-2020-0600	M 06 L SS	6	L	M12x1,5	14,5	14
0402-2020-0800	M 08 L SS	8	L	M14x1,5	14.5	17

Multiple sizes and dimensions available on request.


Cutting ring - single edge

To be used with 24° cone end

DIN3861



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	L1
0401-0000-0400	S 04 LL ZINI	4	LL	6
0401-0000-0600	S 06 LL ZINI	6	LL	7
0401-0000-0800	S 08 LL ZINI	8	LL	7
0401-2000-0400	S 04 LL SS	4	LL	6
0401-2000-0600	S 06 LL SS	6	LL	7
0401-2000-0800	S 08 LL SS	8	LL	7

Multiple sizes and dimensions available on request.


Cutting ring - double edge

To be used with 24° cone end

DIN3861



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	L1
0401-0010-0600	S 06 L/S ZINI	6	L/S	9,5
0401-0010-0800	S 08 L/S ZINI	8	L/S	9,5
0401-2010-0600	S 06 L/S SS	6	L/S	9,5
0401-2010-0800	S 08 L/S SS	8	L/S	9,5



Multiple sizes and dimensions available on request.

Screw sleeves

To be used with high pressure hose



Fluid Fittings
By Hydynamic




Item No.	Description	G	L1	L2	SW1	HP HOSE
2875-0000-0400	Screw sleeve 04 ZINI	M7x,0,75	28	19	12	4,0x8,6
2875-0000-0401	Screw sleeve 04 ZINI-B	M7x,0,75	28	19	12	4,0x8,6
2875-0000-0600	Screw sleeve 06 ZINI	M9x1	36	28	17	6,3x11,3
2875-2000-0400	Screw sleeve 04 SS	M7x,0,75	28	19	12	4,0x8,6
2875-2000-0600	Screw sleeve 06 SS	M9x1	36	28	17	6,3x11,3


Multiple sizes and dimensions available on request.

Hose studs straight

To be used with high pressure hose



Fluid Fittings
By Hydynamic



Reusable fittings

Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0000-0404	BE4L-4F ZINI - 30	4	M7x,0,75	61	30	31	10	4,0x8,6
2804-0003-0604	BE6L-4F ZINI - 18	6	M7x,0,75	49	18	31	10	4,0x8,6
2804-0001-0604	BE6L-4F ZINI - 20	6	M7x,0,75	51	20	31	10	4,0x8,6
2804-0002-0604	BE6L-4F ZINI - 24	6	M7x,0,75	55	24	31	10	4,0x8,6
2804-0000-0604	BE6L-4F ZINI - 30	6	M7x,0,75	61	30	31	10	4,0x8,6
2804-0000-0804	BE8L-4F ZINI - 30	8	M7x,0,75	61	30	31	10	4,0x8,6
2804-0000-0606	BE6L-6F ZINI - 22	6	M9x1	69	22	47	12	6,3x11,3
2804-0000-0806	BE8L-6F ZINI - 21	8	M9x1	68	21	47	12	6,3x11,3
2804-0000-1006	BE10L-6F ZINI - 22	10	M9x1	69	22	47	12	6,3x11,3
2804-2000-0404	BE4L-4F SS - 30	4	M7x,0,75	61	30	31	10	4,0x8,6
2804-2000-0604	BE6L-4F SS - 30	6	M7x,0,75	61	30	31	10	4,0x8,6
2804-2000-0606	BE6L-6F SS - 22	6	M9x1	69	22	47	12	6,3x11,3
2804-2000-0806	BE8L-6F SS - 21	8	M9x1	68	21	47	12	6,3x11,3
2804-2000-1006	BE10L-6F SS - 22	10	M9x1	69	22	47	12	6,3x11,3


Multiple sizes and dimensions available on request.

Hose studs straight groove

To be used with high pressure hose




Fluid Fittings
By Hydynamic



Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0005-0604	BE6L-4F ZINI - 33	6	M7x,0,75	64	33	31	10	4,0x8,6
2804-0006-0604	BE6L-4F ZINI - 26	6	M7x,0,75	57	26	31	10	4,0x8,6
2804-2001-0604	BE6L-4F SS - 33	6	M7x,0,75	64	33	31	10	4,0x8,6

Multiple sizes and dimensions available on request.

Reusable fittings




Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0007-0604	BE6L-4F ZINI-B - 21,5	6	M7x,0,75	52,5	21,5	31	10	4,0x8,6
2804-0009-0604	BE6L-4F ZINI-B - 30	6	M7x,0,75	61	30	31	10	4,0x8,6
2804-2002-0604	BE6L-4F SS - 21,5	6	M7x,0,75	52,5	21,5	31	10	4,0x8,6


Multiple sizes and dimensions available on request.

Hose studs 45°

To be used with high pressure hose



Fluid Fittings
By Hydynamic



Reusable fittings

Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0400-0604	BE6L-4F -45 ZINI	6	M7x0,75	57	18,5	31	10	4,0x8,6
2804-0403-0604	BE6L-4F -45 ZINI	6	M7x0,75	68,3	22	31	10	4,0x8,6
2804-0404-0604	BE6L-4F -45 ZINI	6	M7x0,75	63,5	15,5	31	10	4,0x8,6
2804-0405-0604	BE6L-4F -45 ZINI	6	M7x0,75	79,1	36	31	10	4,0x8,6
2804-0400-0806	BE8L-6F -45 ZINI	8	M9x1	104	55	47	12	6,3x11,3
2804-2400-0604	BE6L-4F -45 SS	6	M7x0,75	57	18,5	31	10	4,0x8,6

Multiple sizes and dimensions available on request.


Hose studs 45° groove

To be used with high pressure hose




Fluid Fittings
By Hydynamic

Reusable fittings



Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0401-0604	BE6L-4F -45 ZINI	6	M7x0,75	66	27,5	31	10	4,0x8,6

Multiple sizes and dimensions available on request.



Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0402-0604	BE6L-4F -45 ZINI-B	6	M7x0,75	63,3	23,5	31	10	4,0x8,6


Multiple sizes and dimensions available on request.

Hose studs 90°

To be used with high pressure hose



Fluid Fittings
By Hydynamic




Reusable fittings

Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0901-0604	BE6L-4F -90 ZINI	6	M7x0,75	45	20,7	31	10	4,0x8,6
2804-0904-0604	BE6L-4F -90 ZINI	6	M7x0,75	45	32,7	31	10	4,0x8,6
2804-0903-0604	BE6L-4F -90 ZINI	6	M7x0,75	53	38	31	10	4,0x8,6
2804-0909-0604	BE6L-4F -90 ZINI	6	M7x0,75	59	51	31	10	4,0x8,6
2804-0900-0606	BE6L-6F -90 ZINI	6	M9x1	67	52	47	12	6,3x11,3
2804-0901-0806	BE8L-6F -90 ZINI	8	M9x1	66	35	47	12	6,3x11,3
2804-0900-0806	BE8L-6F -90 ZINI	8	M9x1	66	55	47	12	6,3x11,3
2804-2900-0604	BE6L-4F -90 SS	6	M7x0,75	45	32,7	31	10	4,0x8,6
2804-2901-0604	BE6L-4F -90 SS	6	M7x0,75	53	38	31	10	4,0x8,6


Multiple sizes and dimensions available on request.

Hose studs 90° groove

To be used with high pressure hose




Fluid Fittings
By Hydynamic



Reusable fittings

Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0905-0604	BE6L-4F -90 ZINI	6	M7x0,75	44	50	31	10	4,0x8,6
2804-0908-0604	BE6L-4F -90 ZINI	6	M7x0,75	44	35	31	10	4,0x8,6

Multiple sizes and dimensions available on request.



Item No.	Description	ØD	G	L1	L2	L3	SW1	HP HOSE
2804-0906-0604	BE6L-4F -90 ZINI-B	6	M7x0,75	55	38	31	10	4,0x8,6
2804-0907-0604	BE6L-4F -90 ZINI-B	6	M7x0,75	55	45	31	10	4,0x8,6
2804-2902-0604	BE6L-4F -90 SS	6	M7x0,75	55	38	31	10	4,0x8,6

Multiple sizes and dimensions available on request.


Hose studs - specials

To be used with high pressure hose





Fluid Fittings
By Hydynamic

Reusable fittings



Item No.	Description	G	G1	L1	L2	L3	SW1	HP HOSE
2802-0000-0604	CELL 6-4F ZINI	M7x0,75	M10x1	39	25	14	10	4,0x8,6

Multiple sizes and dimensions available on request.



Item No.	Description	G	G1	L1	L2	L3	SW1	HP HOSE
2804-0180-0604	BE6L-4F 180 ZINI	6	M7x0,75	47	22	31	10	4,0x8,6



Multiple sizes and dimensions available on request.

Hose studs - specials




Fluid Fittings
By Hydynamic

Reusable fittings



Item No.	Description	G	G1	L1	L2	L3	SW1
2802-0180-0604	CELL 6-4F 180 ZINI	M7x0,75	M10x1	31	22	14	10


Multiple sizes and dimensions available on request.



Item No.	Description	G	L1	L2	SW1	HP HOSE
2803-0000-0404	BE4F-4F ZINI	M7x0,75	56	25	10	4,0x8,6


Multiple sizes and dimensions available on request.

Hose studs - specials




Fluid Fittings
By Hydynamic

Reusable fittings



Item No.	Description	G	G1	L1	L2	SW1	SW2	HP HOSE
2813-0000-0704	JIC-4F ZINI	M7x0,75	7/16"-20 UNF	46	30	14	14	4,0x8,6

Multiple sizes and dimensions available on request.




Item No.	Description	G	G1	L1	L2	L3	SW1	SW2	HP HOSE
2813-0900-0704	JIC-4F 90 ZINI	M7x0,75	7/16"-20 UNF	44	30	34	14	14	4,0x8,6


Multiple sizes and dimensions available on request.

Crimping ferrules

To be used with high pressure hose



Fluid Fittings
By Hydynamic




Item No.	Description	D	L1	HP HOSE
2876-0000-0400	XT 04 ZINI	12	25	4,0x8,6

Multiple sizes and dimensions available on request.



Straight crimping hose stud

24° cone end with o.ring

To be used with high pressure hose



Fluid Fittings
By Hydynamic



Item No.	Description	D	G	D1	L1	L2	SW1	HP HOSE
2801-0003-0604	DKO6LL-4 ZINI/NBR	6	M10x1	4,1	38	19	12	4,0x8,6

Multiple sizes and dimensions available on request.


Crimping hose stud 45°

24° cone end with o.ring

To be used with high pressure hose



Fluid Fittings
By Hydynamic



Crimp fittings

Item No.	Description	D	G	D1	L1	L2	L3	SW1	HP HOSE
2801-0403-0604	DKO6LL-45-4 ZINI/NBR	6	M10x1	4,1	67	19	20	12	4,0x8,6

Multiple sizes and dimensions available on request.



Crimping hose stud 90°

24° cone end with o.ring

To be used with high pressure hose



Fluid Fittings
By Hydynamic



Crimp fittings

Item No.	Description	D	G	D1	L1	L2	L3	SW1	HP HOSE
2801-0903-0604	DKO6LL-90-4 ZINI/NBR	6	M10x1	4,1	52,5	19	29	12	4,0x8,6

Multiple sizes and dimensions available on request.

High pressure hoses

Extra technical data sheets available on our website.



Fluid Fittings
By Hydynamic



Item No.	Description	D	D1	Coil	WP BAR	BP BAR
0116-0003-0400	HPH 4,0x8,6 - 50	4	8,6	50m	280	840
0116-0002-0400	HPH 4,0x8,6 - 50 Grease filled	4	8,6	50m	280	840
0116-0003-0402	HPH 4,0x8,6 - 100	4	8,6	100m	280	840
0116-0003-0403	HPH 4,0x8,6 - 200	4	8,6	200m	280	840
0116-0003-0405	HPH 4,0x8,6 - 260	4	8,6	260m	280	840
0116-0003-0600	HPH 6,3x11,3 - 50	6,3	11,3	50m	280	840
0116-0001-0600	HPH 6,3x11,3 - 50 Grease filled	6,3	11,3	50m	280	840

Multiple sizes and dimensions available on request.

Polyamide tubes

Extra technical data sheets available on our website.



Fluid Fittings
By Hydynamic



Item No.	Description	D	D1	T	Coil	 WP BAR	 BP BAR
0620-0004-0405	PA12 HL 4x0,85 BLACK	2,3	4	0,85	50M	74	222
0620-0004-0404	PA12 HL 4x0,85 BLACK	2,3	4	0,85	100M	74	222
0620-0004-0402	PA12 HL 4x1 BLACK	2	4	1	100M	91	273
0620-0004-0602	PA12 HL 6x1,5 BLACK	3	6	1,5	50M	93	279
0620-0005-0604	PA12 HL 6x1,5 BLACK Grease filled	3	6	1,5	50M	93	279
0620-0004-0603	PA12 HL 6x1,5 BLACK	3	6	1,5	100M	93	279
0620-0005-0603	PA12 HL 6x1,5 BLACK Grease filled	3	6	1,5	100M	93	279
0620-0004-0605	PA12 HL 6x1,5 BLACK	3	6	1,5	500M	93	279
0620-0007-0602	PA12 PHLY 6x1,5 BLACK	3	6	1,5	50M	68	204
0620-0014-0603	PA12 PHLY 6x1,5 BLACK Grease filled	3	6	1,5	50M	68	204
0620-0007-0603	PA12 PHLY 6x1,5 BLACK	3	6	1,5	100M	68	204
0620-0009-0603	PA12 PHLY 6x1,5 BLACK Grease filled	3	6	1,5	100M	68	204



Multiple sizes and dimensions available on request.

Polyamide multi-tubes

Extra technical data sheets available on our website.



Fluid Fittings
By Hydramatic



Item No.	Description	D	D1	T	T1	Coil	 WP BAR	 BP BAR
0620-0015-0602	PA12 PHL 6x1,5 1/2 BLACK	3	6	1,5	0,5	100M	68	204
0620-0015-0603	PA12 PHL 6x1,5 1/3 BLACK	3	6	1,5	0,5	100M	68	204
0620-0020-0602	PA12 PHL 6x1,5 1/2 BLACK Grease filled	3	6	1,5	0,5	100M	68	204
0620-0020-0603	PA12 PHL 6x1,5 1/3 BLACK Grease filled	3	6	1,5	0,5	100M	68	204


Multiple sizes and dimensions available on request.

Tube insert

To be used with polyamide tube



Fluid Fittings
By Hydynamic




Item No.	Description	D	D1	L1	Tube
2274-3000-0408	VHP 4x0,85 BS	2,3	3,5	10,5	4x0,85



Multiple sizes and dimensions available on request.

Union screw

DIN3871



Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	SW1
2873-0000-0400	US04 ZINI	4	M8x1	12	8	8
2873-0000-0600	US06 ZINI	6	M10x1	14	10	8
2873-3000-0402	US04 BS	4	M8x1	12	8	8
2873-3000-0602	US06 BS	6	M10x1	14	10	8
2873-2000-0402	US04 SS	4	M8x1	12	8	8


Multiple sizes and dimensions available on request.

Double cone ring

DIN3862



Fluid Fittings
By Hydynamic




Item No.	Description	D	L1
2873-3000-0401	DCR04 BS	4	5,75
2873-3000-0601	DCR06 BS	6	6,5
2873-2000-0400	DCR04 SS	4	5,75



Multiple sizes and dimensions available on request.

Cone ring with shank

DIN3862



Fluid Fittings
By Hydynamic



Item No.	Description	D	L1	L2
2873-3000-0400	CR04 BS	4	8	3
2873-3000-0600	CR06 BS	6	9,5	4



Multiple sizes and dimensions available on request.

Cone ring reducer

DIN3862



Fluid Fittings
By Hydynamic




Item No.	Description	D	D1	D2	L1
0401-3000-0605	CRR0605 BS	6	5	7,5	9

Multiple sizes and dimensions available on request.


Straight male stud - push in

Push in end/Male taper thread

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Push in connectors


Item No.	Description	D	G	L1	L2	SW1	SW2
2833-3000-0405	GE 04 M6x0,75 BS/HNBR	4	M6x0,75 tap	22	6	10	2,5
2833-3000-0406	GE 04 M6x1 BS/HNBR	4	Mx6x1 tap	22	6	10	2,5
2833-3000-0408	GE 04 M8x1 BS/HNBR	4	M8x1 tap	20	6	10	3
2833-3000-0409	GE 04 M8x1,25 BS/HNBR	4	M8x1,25 tap	23	7	10	3
2833-3000-0410	GE 04 M10x1 BS/HNBR	4	M10x1 tap	20	6,5	10	3
2833-3000-0411	GE 04 M10x1,5 BS/HNBR	4	M10x1,5 tap	22,5	7,5	10	3
2833-3100-0402	GE 04 R1/8 BS/HNBR	4	R1/8 tap	21	7,5	10	3
2833-3100-0404	GE 04 R1/4 BS/HNBR	4	R1/4 tap	26	11	14	3
2833-3000-0605	GE 06 M6x0,75 BS/HNBR	6	M6x0,75 tap	24,5	6	12	2,5
2833-3000-0606	GE 06 M6x1 BS/HNBR	6	Mx6x1 tap	24,5	6	12	2,5
2833-3000-0608	GE 06 M8x1 BS/HNBR	6	M8x1 tap	24,5	6	12	3
2833-3000-0609	GE 06 M8x1,25 BS/HNBR	6	M8x1,25 tap	26	7	12	3
2833-3000-0610	GE 06 M10x1 BS/HNBR	6	M10x1 tap	21,5	6,5	12	3
2833-3000-0611	GE 06 M10x1,5 BS/HNBR	6	M10x1,5 tap	25	7,5	12	4
2833-3100-0602	GE 06 R1/8 BS/HNBR	6	R1/8 tap	23	7,5	12	3
2833-3100-0604	GE 06 R1/4 BS/HNBR	6	R1/4 tap	26,5	11	14	4

Multiple sizes and dimensions available on request.


Elbow male stud - push in

Push in end/Male taper thread

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	L3	SW1
2839-3000-0405	WE 04 M6X0,75 BS/HNBR	4	M6x0,75 tap	18	15	6	8
2839-3000-0406	WE 04 M6X1 BS/HNBR	4	M6x1 tap	18	15	6	8
2839-3000-0408	WE 04 M8X1 BS/HNBR	4	M8x1 tap	18	15	6	8
2839-3000-0409	WE 04 M8X1,25 BS/HNBR	4	M8x1,25 tap	18	15	7	8
2839-3000-0410	WE 04 M10X1 BS/HNBR	4	M10x1 tap	18	15	6,5	8
2839-3000-0411	WE 04 M10X1,5 BS/HNBR	4	M10x1,5 tap	18	16,5	7,5	8
2839-3000-0605	WE 06 M6X0,75 BS/HNBR	6	M6x0,75 tap	21	17	6	10
2839-3000-0606	WE 06 M6X1 BS/HNBR	6	M6x1 tap	21	17	6	10
2839-3000-0608	WE 06 M8X1 BS/HNBR	6	M8x1 tap	21	17	6	10
2839-3000-0609	WE 06 M8X1,25 BS/HNBR	6	M8x1,25 tap	21	18	7	10
2839-3000-0610	WE 06 M10X1 BS/HNBR	6	M10x1 tap	21	17	6,5	10
2839-3000-0611	WE 06 M10X1,5 BS/HNBR	6	M10x1,5 tap	21	17	7,5	10
2839-3100-0402	WE 04 R1/8 BS/HNBR	4	R1/8 tap	18	15	7,5	8
2839-3100-0404	WE 04 R1/4 BS/HNBR	4	R1/4 tap	18	21,5	11	8
2839-3100-0602	WE 06 R1/8 BS/HNBR	6	R1/8 tap	21	17,5	7,5	10
2839-3100-0604	WE 06 R1/4 BS/HNBR	6	R1/4 tap	21	21,5	11	10

Multiple sizes and dimensions available on request.


Elbow rotatable male stud - push in

Push in end/Male taper thread

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Push in connectors

Item No.	Description	D	G	L1	L2	L3	SW1	SW2
2837-3000-0406	WE 04 M6X1 BS/HNBR	4	M6x1 tap	18	22,5	6	8	11
2837-3000-0408	WE 04 M8X1 BS/HNBR	4	M8x1 tap	18	22,5	6	8	11
2837-3000-0409	WE 04 M8X1,25 BS/HNBR	4	M8x1,25 tap	18	26,5	7	8	11
2837-3000-0410	WE 04 M10X1 BS/HNBR	4	M10x1 tap	18	22,5	6,5	8	11
2837-3000-0411	WE 04 M10X1,5 BS/HNBR	4	M10x1,5 tap	18	26,5	7,5	8	11
2837-3000-0606	WE 06 M6X1 BS/HNBR	6	M6x1 tap	21	25,5	6	10	11
2837-3000-0608	WE 06 M8X1 BS/HNBR	6	M8x1 tap	21	25,5	6	10	11
2837-3000-0609	WE 06 M8X1,25 BS/HNBR	6	M8x1,25 tap	21	26,5	7	10	11
2837-3000-0610	WE 06 M10X1 BS/HNBR	6	M10x1 tap	21	22,5	6,5	10	11
2837-3000-0611	WE 06 M10X1,5 BS/HNBR	6	M10x1,5 tap	21	27	7,5	10	11
2837-3100-0402	WE 04 R1/8 BS/HNBR	4	R1/8 tap	18	24	7,5	8	11
2837-3100-0404	WE 04 R1/4 BS/HNBR	4	R1/4 tap	18	26,5	11	8	14
2837-3100-0402	WE 04 R1/8 BS/HNBR	4	R1/8 tap	18	24	7,5	8	11
2837-3100-0404	WE 04 R1/4 BS/HNBR	4	R1/4 tap	18	26,5	11	8	14
2837-3100-0602	WE 06 R1/8 BS/HNBR	6	R1/8 tap	21	27	7,5	10	11
2837-3100-0604	WE 06 R1/4 BS/HNBR	6	R1/4 tap	21	30	11	10	14

Multiple sizes and dimensions available on request.


Straight connector - push in

Push in end

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Item No.	Description	D	L1	L2
2835-3000-0400	G04 BS/HNBR	4	34,5	10,75
2835-3000-0600	G06 BS/HNBR	6	37,5	12,75

Multiple sizes and dimensions available on request.


Elbow connector - push in

Push in end

Working pressure: 150 bar



Fluid Fittings
By Hydynamic




Item No.	Description	D	L1	SW1
2836-3000-0400	W04 BS/HNBR	4	18	8
2836-3000-0600	W06 BS/HNBR	6	21	10

Multiple sizes and dimensions available on request.


Tee connector - push in

Push in end

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Item No.	Description	D	L1	SW1
2838-3000-0600	T06 BS/HNBR	6	20	12

Multiple sizes and dimensions available on request.


Check valve - push in

push in end/Male parallel thread with cone ring

Working pressure: 150 bar



Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	L3	SW1
2833-3001-0410	GE 04 M10x1 BS/HNBR	4	M10x1	37	14	6,5	10
2833-3001-0610	GE 06 M10x1 BS/HNBR	6	M10x1	37,5	14	6,5	12

Multiple sizes and dimensions available on request.


Check valve - push in

push in end/Male taper thread

Working pressure: 150 bar



Fluid Fittings
By Hydynamic





Item No.	Description	D	G	L1	L2	SW1
2833-3002-0410	GE 04 M10x1 BS/HNBR	4	M10x1 tap	29	6	10
2833-3002-0610	GE 06 M10x1 BS/HNBR	6	M10x1 tap	29,5	6	12

Multiple sizes and dimensions available on request.

Dust cap - push in



Fluid Fittings
By Hydynamic




Item No.	Description	D	D1	L1
2832-3000-0600	DC6 EPDM	5,5	10,5	13,7



Multiple sizes and dimensions available on request.

Non-return valve

24° cone end/Male taper thread




Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	SW1	SW2
0413-0009-0410	GE 04 LLM 10x1 W.VALVE ZINI	6	M10x1	29	8	11	10
0413-0009-0610	GE 06 LLM 10x1 W.VALVE ZINI	6	M10x1	29	8	11	12
0413-0105-0402	GE 04 LLR 1/8 W.VALVE ZINI	4	R1/8	29	8	11	12
0413-0105-0602	GE 06 LLR 1/8 W.VALVE ZINI	6	R1/8	29	8	11	12

Multiple sizes and dimensions available on request.



Item No.	Description	D	G	L1	L2	SW1
0413-0012-0610	XGE 06 LLM 10x1 W.VALVE ZINI	6	M10x1	23	8	11
0413-0106-0602	XGE 06 LLR 1/8 W.VALVE ZINI	6	R1/8	23	8	11



Multiple sizes and dimensions available on request.

Non-return valve

24° cone end/Male parallel thread with cone




Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	SW1	SW2
0413-0007-0610	GE 06 LLM 10x1 W.VALVE ZINI	6	M10x1	33,5	13,5	11	12

Multiple sizes and dimensions available on request.



Item No.	Description	D	G	L1	L2	SW1
0413-0014-0610	XGE 06 LLM 10x1 W.VALVE ZINI	6	M10x1	26,5	13,5	11


Multiple sizes and dimensions available on request.

Non-return valve

24° cone end/Male parallel thread with cone ring




Fluid Fittings
By Hydynamic



Item No.	Description	D	G	L1	L2	SW1	SW2
0413-0010-0610	GE 06 LLM 10x1 W.VALVE ZINI-B/BS	6	M10x1	34	13,5	11	12

Multiple sizes and dimensions available on request.



Item No.	Description	D	G	L1	L2	SW1
0413-0013-0610	XGE 06 LLM 10x1 W.VALVE ZINI-B/BS	6	M10x1	27	13,5	11


Multiple sizes and dimensions available on request.

Non-return valve

Female parallel thread /Male parallel thread with cone



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	SW1
0413-0015-0610	M 10x1 - M10x1 IG W.VALVE ZINI	M10x1	31	13,5	12


Multiple sizes and dimensions available on request.

Extension adapter

Male taper thread/Female parallel thread



Fluid Fittings
By Hydynamic



Item No.	Description	G Male	G1 Female	L1	L2	SW1	Ø Tube
2850-0006-0820	VN M6x1-M8x1 20 ZINI	M6x1 tap	M8x1	20	6	11	4
2850-0006-1025	VN M6x1-M8x1 25 ZINI	M6x1 tap	M10x1	25	6	13	6
2850-0008-0817	VN M8x1-M8x1 17 ZINI	M8x1 tap	M8x1	17	7	11	4
2850-0008-0818	VN M8x1-M8x1 18 ZINI	M8x1 tap	M8x1	18	7	11	4
2850-0008-0819	VN M8x1,25-M8x1,25 18 ZINI	M8x1,25 tap	M8x1,25	19	7	11	4
2850-0008-0833	VN M8x1-M8x1 33 ZINI	M8x1 tap	M8x1	33	7	11	4
2850-0008-0862	VN M8x1-M8x1 62 ZINI	M8x1 tap	M8x1	62	7	11	4
2850-0008-1021	VN M8x1-M10x1 21 ZINI	M8x1 tap	M10x1	21	7	13	6
2850-0010-0817	VN M10x1-M8x1 17 ZINI	M10x1 tap	M8x1	17	7	11	4
2850-0010-1018	VN M10x1-M10x1 18 ZINI	M10x1 tap	M10x1	18	7	13	6
2850-0010-1021	VN M10x1-M10x1 21 ZINI	M10x1 tap	M10x1	21	7	13	6
2850-0010-1023	VN M10x1-M10x1 23 ZINI	M10x1 tap	M10x1	23	7	13	6
2850-0010-1036	VN M10x1-M10x1 36 ZINI	M10x1 tap	M10x1	36	7	13	6
2850-0010-1040	VN M10x1-M10x1 40 ZINI	M10x1 tap	M10x1	40	7	13	6
2850-0010-1051	VN M10x1-M10x1 51 ZINI	M10x1 tap	M10x1	51	7	13	6
2850-0015-1021	VN M10x1,5-M10x1 21 ZINI	M10x1,5 tap	M10x1	21	7	13	6

Multiple sizes and dimensions available on request.

Item No.	Description	G Male	G1 Female	L1	L2	SW1	Ø Tube
2850-0102-0218	VN R1/8-G1/8 18 ZINI	R1/8 tap	G1/8	18	7	13	
2850-0102-0220	VN R1/8-G1/8 20 ZINI	R1/8 tap	G1/8	20	7	13	
2850-0102-0224	VN R1/8-G1/8 24 ZINI	R1/8 tap	G1/8	24	7	13	
2850-0102-0235	VN R1/8-G1/8 35 ZINI	R1/8 tap	G1/8	35	7	13	
2850-0102-0250	VN R1/8-G1/8 50 ZINI	R1/8 tap	G1/8	50	7	13	
2850-0102-1017	VN R1/8-M10x1 17 ZINI	R1/8 tap	M10x1	17	7	13	
2850-0102-1021	VN R1/8-M10x1 21 ZINI	R1/8 tap	M10x1	21	7	13	
2850-0102-1051	VN R1/8-M10x1 51 ZINI	R1/8 tap	M10x1	51	7	13	
2850-0110-0222	VN M10x1-G1/8 22 ZINI	M10x1 tap	G1/8	22	7	13	
2850-0104-0220	VN R1/4-G1/8 20 ZINI	R1/4 tap	G1/8	20	10	14	
2850-0104-1020	VN R1/4-M10x1 20 ZINI	R1/4 tap	M10x1	20	10	14	6
2850-0104-1035	VN R1/4-M10x1 35 ZINI	R1/4 tap	M10x1	35	10	14	6
2850-0104-1056	VN R1/4-M10x1 56 ZINI	R1/4 tap	M10x1	56	10	14	6
2850-2006-1018	VN M6x1-M10x1 18 SS	M6x1 tap	M10x1	18	7	13	6
2850-2008-0817	VN M8x1-M8x1 17 SS	M8x1 tap	M8x1	17	7	11	4
2850-2008-0818	VN M8x1,25-M8x1 17 SS	M8x1,25 tap	M8x1	17	7	11	4
2850-2008-1018	VN M8x1-M10x1 18 SS	M8x1 tap	M10x1	18	7	13	6
2850-2010-0817	VN M10x1-M8x1 17 SS	M10x1 tap	M8x1	17	7	11	4
2850-2010-1018	VN M10x1-M10x1 18 SS	M10x1 tap	M10x1	18	7	13	6
2850-2102-0230	VN R1/8-G1/8 30 SS	R1/8 tap	G1/8	30	7	13	
2850-2102-0250	VN R1/8-G1/8 50 SS	R1/8 tap	G1/8	50	7	13	



Multiple sizes and dimensions available on request.

Adapter 45°

Male taper thread/Female parallel thread



Fluid Fittings
By Hydynamic



Item No.	Description	G Male	G1 Female	L1	L2	L3	SW1
2852-0000-0606	VN45 M6x1-M6x1 ZINI	M6x1 tap	M6x1	23	10	7,5	12
2852-0000-0608	VN45 M6x1-M8x1 ZINI	M6x1 tap	M8x1	23	10	7,5	12
2852-0000-0808	VN45 M8x1-M8x1 ZINI	M8x1 tap	M8x1	23	10	7,5	12
2852-0000-0908	VN45 M8x1,25-M8x1 ZINI	M8x1,25 tap	M8x1	23	10	7,5	12
2852-0000-1008	VN45 M10x1-M8x1 ZINI	M10x1 tap	M8x1	23	10	7,5	12
2852-0000-1010	VN45 M10x1-M10x1 ZINI	M10x1 tap	M10x1	23	10	7,5	12
2852-0100-0202	VN45 R1/8-G1/8 ZINI	R1/8 tap	G1/8	23	10	7,5	12
2852-0100-0404	VN45 R1/4-G1/4 ZINI	R1/4 tap	G1/4	32,5	12	10	18


Multiple sizes and dimensions available on request.

Adapter 90°

Male taper thread/Female parallel thread



Fluid Fittings
By Hydynamic




Item No.	Description	G Male	G1 Female	L1	L2	L3	SW1
2851-0000-0606	VN90 M6x1-M6x1 ZINI	M6x1 tap	M6x1	23	10	7	12
2851-0000-0608	VN90 M6x1-M8x1 ZINI	M6x1 tap	M8x1	23	10	7	12
2851-0000-0610	VN90 M6x1-M10x1 ZINI	M6x1 tap	M10x1	23	10	7	12
2851-0000-0806	VN90 M8x1-M6x1 ZINI	M8x1 tap	M6x1	23	10	7	12
2851-0000-0808	VN90 M8x1-M8x1 ZINI	M8x1 tap	M8x1	23	10	7	12
2851-0000-0809	VN90 M8x1,25-M8x1,25 ZINI	M8x1,25 tap	M8x1,25	23	10	7	12
2851-0000-0810	VN90 M8x1-M10x1 ZINI	M8x1 tap	M10x1	23	10	7	12
2851-0000-0811	VN90 M8x1,25-M10x1 ZINI	M8x1,25 tap	M10x1	23	10	7	12
2851-0100-0802	VN90 M8x1-G1/8 ZINI	M8x1 tap	G1/8	23	10	7	12
2851-0000-1008	VN90 M10x1-M8x1 ZINI	M10x1 tap	M8x1	23	10	8	12
2851-0000-1010	VN90 M10x1-M10x1 ZINI	M10x1 tap	M10x1	23	10	8	12
2851-0010-1029	VN90 M01x1-M10x1 ZINI	M10x1 tap	M10x1	29	16	8	12
2851-0100-0202	VN90 R1/8-G1/8 ZINI	R1/8	G1/8	23	10	8	12
2851-0100-0210	VN90 R1/8-M10x1 ZINI	R1/8	M10x1	23	10	8	12
2851-0100-0404	VN90 R1/4-G1/4 ZINI	R1/4	G1/4	28	12	8	17
2851-2000-0610	VN90 M6x1-M10x1 SS	M6x1 tap	M10x1	23	10	7	12
2851-2000-0810	VN90 M8x1-M10x1 SS	M8x1 tap	M10x1	23	10	7	12
2851-2000-1010	VN90 M10x1-M10x1 SS	M10x1 tap	M10x1	23	10	8	12


Multiple sizes and dimensions available on request.

Greasing block

Straight drilling/Female parallel thread



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	L3	L4
2825-0000-1001	NB M10x1-1 ZINI	M10x1	30	15		20
2825-0000-1002	NB M10x1-2 ZINI	M10x1	50	15	20	40
2825-0000-1003	NB M10x1-3 ZINI	M10x1	70	15	20	60
2825-0000-1004	NB M10x1-4 ZINI	M10x1	90	15	20	80
2825-0000-1005	NB M10x1-5 ZINI	M10x1	110	15	20	100
2825-0000-1006	NB M10x1-6 ZINI	M10x1	130	15	20	120
2825-0000-1008	NB M10x1-8 ZINI	M10x1	170	15	20	160
2825-0000-1010	NB M10x1-10 ZINI	M10x1	210	15	20	200
2525-0100-0201	NB G1/8-1 ZINI	G1/8	30	15		20
2825-0100-0202	NB G1/8-2 ZINI	G1/8	50	15	20	40
2825-0100-0203	NB G1/8-3 ZINI	G1/8	70	15	20	60
2825-0100-0204	NB G1/8-4 ZINI	G1/8	90	15	20	80
2825-0100-0206	NB G1/8-6 ZINI	G1/8	130	15	20	120


Multiple sizes and dimensions available on request.

Greasing block

T-drilling/Female parallel thread




Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2
2825-1001-1001	NBT M10x1-1 ZINI	M10x1	30	10

Multiple sizes and dimensions available on request.




With closure plug

Item No.	Description	G	L1	L2
S-2825-1001-1001	NBT M10x1-1 ZINI/NBR	M10x1	30	10


Multiple sizes and dimensions available on request.

Greasing block

T-drilling/Female parallel thread



Fluid Fittings
By Hydynamic



Greasing blocks

Item No.	Description	G	L1	L2	L3	L4
2825-0001-1001	NBT M10x1-1 ZINI	M10x1	40	20		30
2825-0001-1002	NBT M10x1-2 ZINI	M10x1	62	20	22	52
2825-0001-1003	NBT M10x1-3 ZINI	M10x1	84	20	22	74
2825-0001-1004	NBT M10x1-4 ZINI	M10x1	106	20	22	96
2825-0001-1005	NBT M10x1-5 ZINI	M10x1	128	20	22	118
2825-0001-1006	NBT M10x1-6 ZINI	M10x1	150	20	22	140
2825-0001-1008	NBT M10x1-8 ZINI	M10x1	194	20	22	184


Multiple sizes and dimensions available on request.

Greasing block

T-drilling/Female parallel thread - with closure plug



Fluid Fittings
By Hydynamic




Greasing blocks

Item No.	Description	G	L1	L2	L3	L4
S-2825-0001-1001	NBT M10x1-1 ZINI/NBR	M10x1	40	20		30
S-2825-0001-1002	NBT M10x1-2 ZINI/NBR	M10x1	62	20	22	52
S-2825-0001-1003	NBT M10x1-3 ZINI/NBR	M10x1	84	20	22	74
S-2825-0001-1004	NBT M10x1-4 ZINI/NBR	M10x1	106	20	22	96
S-2825-0001-1005	NBT M10x1-5 ZINI/NBR	M10x1	128	20	22	118
S-2825-0001-1006	NBT M10x1-6 ZINI/NBR	M10x1	150	20	22	140
S-2825-0001-1008	NBT M10x1-8 ZINI/NBR	M10x1	194	20	22	184



Multiple sizes and dimensions available on request.

Greasing block - assembled

Assembled with 24° cone end/ straight grease nipple



Fluid Fittings
By Hydynamic



Greasing blocks

Item No.	Description	L1	L2	L3	L4	L5
2859-0020-0065	NB 6LL-A-1 ZINI/BS	32	16		20	50
2859-0020-0066	NB 6LL-A-2 ZINI/BS	48	16	16	36	50
2859-0020-0067	NB 6LL-A-3 ZINI/BS	64	16	16	52	50
2859-0020-0068	NB 6LL-A-4 ZINI/BS	80	16	16	68	50
2859-0020-0069	NB 6LL-A-5 ZINI/BS	96	16	16	84	50
2859-0020-0070	NB 6LL-A-6 ZINI/BS	112	16	16	100	50
2859-0020-0072	NB 6LL-A-8 ZINI/BS	144	16	16	132	50



Multiple sizes and dimensions available on request.

Greasing block - assembled

Assembled with 24° cone end/90° grease nipple



Fluid Fittings
By Hydynamic




Greasing blocks

Item No.	Description	L1	L2	L3	L4	L5
2859-0020-0014	NB 6LL-C-1 ZINI/BS	32	16		20	55
2859-0020-0024	NB 6LL-C-2 ZINI/BS	52	15	22	42	55
2859-0020-0025	NB 6LL-C-3 ZINI/BS	74	15	22	64	55
2859-0020-0026	NB 6LL-C-4 ZINI/BS	96	15	22	86	55
2859-0020-0028	NB 6LL-C-6 ZINI/BS	140	15	22	130	55
2859-0020-0029	NB 6LL-C-8 ZINI/BS	184	15	22	174	55


Multiple sizes and dimensions available on request.

Screw plug

Soft sealing NBR



Fluid Fittings
By Hydynamic



Screw plugs

Item No.	Description	G	D	L1	L2	SW1
0410-0000-0800	VSTI M8x1 ED ZINI/NBR	M8x1	12	12	8	4
0410-0000-1000	VSTI M10x1 ED ZINI/NBR	M10x1	14	12	8	5
0410-0000-1200	VSTI M12x1,5 ED ZINI/NBR	M12x1,5	17	17	12	6
0410-0000-1400	VSTI M14x1,5 ED ZINI/NBR	M14x1,5	19	17	12	6
0410-0100-0200	VSTI G1/8 ED ZINI/NBR	G1/8	14	12	8	5
0410-0100-0400	VSTI G1/4 ED ZINI/NBR	G1/4	19	17	12	6
0410-0100-0600	VSTI G3/8 ED ZINI/NBR	G3/8	22	17	12	8
0410-0100-0800	VSTI G1/2 ED ZINI/NBR	G1/2	27	19	14	10
0410-2000-1000	VSTI M10x1 ED SS/FPM	M10x1	14	12	8	5
0410-2000-1200	VSTI M12x1,5 ED SS/FPM	M12x1,5	17	17	12	6
0410-2000-1400	VSTI M14x1,5 ED SS/FPM	M14x1,5	19	17	12	6
0410-2100-0200	VSTI G1/8 ED SS/FPM	G1/8	14	12	8	5
0410-2100-0400	VSTI G1/4 ED SS/FPM	G1/4	19	17	12	6
0410-2100-0600	VSTI G3/8 ED SS/FPM	G3/8	22	17	12	8
0410-2100-0800	VSTI G1/2 ED SS/FPM	G1/2	27	19	14	10


Multiple sizes and dimensions available on request.

Screw plug

With cone



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	SW1
0410-0001-1001	SP M10x1 ZINI	M10x1	12	5


Multiple sizes and dimensions available on request.

Screw plug

With metal sealing edge



Fluid Fittings
By Hydynamic



Item No.	Description	G	D	L1	L2	SW1
0410-0001-1000	SP M10x1 ZINI-B	M10x1	14	9,5	3,5	5


Multiple sizes and dimensions available on request.

Grease nipple straight

Male taper thread/High pressure 400 bar



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	G	L1	L2	SW1
2823-0000-0800	GN HD400 M8x1 BS	6,5	M8x1 tap	21,5	9,2	11
2823-0000-1000	GN HD400 M10x1 BS	6,5	M10x1 tap	21,5	9,2	11
2823-0100-0200	GN HD400 R1/8 BS	6,5	R1/8 tap	21,5	9,2	11


Multiple sizes and dimensions available on request.

Grease nipple straight

Male taper thread
DIN71412



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	G	L1	L2	SW1
2820-0000-0600	GN-A M6x1 BS	6,5	M6x1 tap	14,8	5,5	7
2820-0000-0800	GN-A M8x1 BS	6,5	M8x1 tap	15,5	5,5	9
2820-0000-1000	GN-A M10x1 BS	6,5	M10x1 tap	15,5	5,2	11
2820-0100-0200	GN-A R1/8 BS	6,5	R1/8 tap	15,5	5,2	11
2820-0100-0400	GN-A R1/4 BS	6,5	R1/4 tap	17,5	6,5	14


Multiple sizes and dimensions available on request.

Grease nipple 45°

Male taper thread
UNI7663



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	G	L1	L2	SW1
2820-0040-0600	GN-B M6x1 BS	6,5	M6x1 tap	26,3	5,5	11
2820-0040-0800	GN-B M8x1 BS	6,5	M8x1 tap	26,3	6,7	11
2820-0000-1000	GN-B M10x1 BS	6,5	M10x1 tap	26,3	6,7	11
2820-0140-0200	GN-B R1/8 BS	6,5	R1/8 tap	26,3	6,7	11
2820-0140-0400	GN-B R1/4 BS	6,5	R1/4 tap	26,3	6,7	14


Multiple sizes and dimensions available on request.

Grease nipple 90°

Male taper thread
UNI7663



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	G	L1	L2	SW1
2820-0090-0600	GN-C M6x1 BS	6,5	M6x1 tap	20,3	5,5	11
2820-0090-0800	GN-C M8x1 BS	6,5	M8x1 tap	20,3	6,7	11
2820-0090-1000	GN-C M10x1 BS	6,5	M10x1 tap	20,3	6,7	11
2820-0190-0200	GN-C R1/8 BS	6,5	R1/8 tap	20,3	6,7	11
2820-0190-0400	GN-C R1/4 BS	6,5	R1/4 tap	20,3	6,7	14


Multiple sizes and dimensions available on request.

Grease nipple - protection cap

Polyethylene (-70 °c/+85 °c)



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	L1
2820-4000-0001	Cap type A/B/C	6	20

Multiple sizes and dimensions available on request.


Cartridge grease filler

Usable with 400gr cartridges




Fluid Fittings
By Hydynamic

Grease filler - filling adapter



Item No.	Description	ØD	L1
2853-0000-0400	GFP 400gr ZINI/NBR	56	325,5

Multiple sizes and dimensions available on request.



Item No.	Description	ØD	L1
2853-0000-0401	GFP 400gr ZINI/NBR	56	325,5


Multiple sizes and dimensions available on request.

Straight filling adapter

Male parallel thread - metal sealing edge



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	SW1
2853-0001-2000	GF adapter ZINI/NBR	M20x1,5	47,5	35,5	30
2853-0001-2200	GF adapter ZINI/NBR	M22x1,5	47,5	35,5	30


Multiple sizes and dimensions available on request.

Straight filling adapter - non-return valve

Male parallel thread-metal sealing edge



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	SW1
2853-0002-2000	GF-RV adapter ZINI/NBR	M20x1,5	50	35,5	30
2853-0002-2200	GF-RV adapter ZINI/NBR	M22x1,5	50	35,5	30


Multiple sizes and dimensions available on request.

Elbow filling adapter

Male parallel thread/with lockscrew



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	L3	SW1	SW2
2853-0901-2000	GF-90 adapter L=47 ZINI/NBR	M20x1,5	80	65	65,5	27	30
2853-0901-2001	GF-90 adapter L=82 ZINI/NBR	M20x1,5	115	100	65,5	27	30


Multiple sizes and dimensions available on request.

Elbow filling adapter - non-return valve

Male parallel thread/with lockscrew



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	L2	L3	SW1	SW2
2853-0902-2001	GF-RV90 adapter L=47 ZINI/NBR	M20x1,5	80	65	65,5	27	30
2853-0902-2002	GF-RV90 adapter L=82 ZINI/NBR	M20x1,5	115	100	65,5	27	30


Multiple sizes and dimensions available on request.

ISO-B Quick connectors

ISO 7241-1B




Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	SW1
0916-0000-0400	QC MALE ISO-B CF	1/4	35	19
0916-0000-0600	QC MALE ISO-B CF	3/8	42	24

Item No.	Description	Color
0917-0000-0400	Cap 1/4 ISO-B male	Red
0917-0000-0600	Cap 3/8 ISO-B male	Red

Multiple sizes and dimensions available on request.



Item No.	Description	G	L1	ØD	SW1
0915-0000-0400	QC FEMALE ISO-B CF	1/4	57	27	19
0915-0000-0600	QC FEMALE ISO-B CF	3/8	66	34	24



Item No.	Description	Color
0918-0000-0400	Plug 1/4 ISO-B female	Red
0918-0000-0600	Plug 3/8 ISO-B female	Red

Multiple sizes and dimensions available on request.

Pressure gauge



Fluid Fittings
By Hydynamic



Pressure gauge

Item No.	Description	ØD	G	Pressure range	Connection	Glycerine filling
1252-0000-0400	MM40 1/8 OA BS/ST	40	1/8	0/400 bar	Below	
1255-0001-0400	MM40 1/8 AA BS/ST	40	1/8	0/400 bar	Rear	
1255-0000-0250	MM63 1/4 OA BS/SS	63	1/4	0/250 bar	Below	x
1255-0001-0250	MM63 1/4 AA BS/SS	63	1/4	0/250 bar	Rear	x
1255-0000-0400	MM63 1/4 OA BS/SS	63	1/4	0/400 bar	Below	x
1255-0001-0400	MM63 1/4 AA BS/SS	63	1/4	0-400 bar	Rear	x

Multiple sizes and dimensions available on request.



Pressure gauge connector

24° cone end/Female parallel thread

DIN2353



Fluid Fittings
By Hydramac



Pressure gauge

Item No.	Description	ØD	Serie	G	L1	L2	L3	SW1	SW2
0432-0123-0604	MAV 06 LR 1/4 ZINI	6	L	G1/4	37	14,5	4,5	19	14
0432-0123-0804	MAV 08 LR 1/4 ZINI	8	L	G1/4	37	14,5	4,5	19	17



Multiple sizes and dimensions available on request.

Adjustable pressure gauge connector

24° adjustable cone end with o.ring/Female parallel thread
DIN2353



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	Serie	G	L1	L2	L3	SW1	SW2
0433-0123-0604	MAVE 06 LR 1/4 ZINI/NBR	6	L	G1/4	37,5	14,5	4,5	19	14
0433-0123-0804	MAVE 08 LR 1/4 ZINI/NBR	8	L	G1/4	38	14,5	4,5	19	17


Multiple sizes and dimensions available on request.

Spiral wrap

Polyethylene (-30°C/+70°C)



Fluid Fittings
By Hydynamic




Item No.	ØD	L1	T	Roll length
0121-0001-0006	6	7	1	25M
0121-0001-0010	10	9	0,75	25M
0121-0001-0012	11,5	10	0,75	25M


Multiple sizes and dimensions available on request.

Corrugated conduit

Polyethylene (-40°C/+105°C)



Fluid Fittings
By Hydynamic



Item No.	ØD	ØD1	Roll length
0121-0010-0007	9,9	6,9	50M
0121-0010-0010	10,1	12,9	50M



Multiple sizes and dimensions available on request.

Protective spring

Stainless steel 304



Fluid Fittings
By Hydynamic



Item No.	ØD	L1
0121-2000-0010	10	5M
0121-2000-0016	16	5M



Multiple sizes and dimensions available on request.

Hose clamp

Rubber insert
DIN3016-1



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	B	ØD1
1105-0000-0412	RSGU1 04/12 CF-EPDM	4	12	5,3
1105-0000-0612	RSGU1 06/12 CF-EPDM	6	12	5,3
1105-0000-0812	RSGU1 08/12 CF-EPDM	8	12	5,3
1105-0000-0912	RSGU1 09/12 CF-EPDM	9	12	5,3
1105-0000-1012	RSGU1 10/12 CF-EPDM	10	12	5,3
1105-0000-1212	RSGU1 12/12 CF-EPDM	12	12	5,3
1105-0000-1512	RSGU1 15/12 CF-EPDM	15	12	5,3
1105-0000-1812	RSGU1 18/12 CF-EPDM	18	12	5,3
1105-0000-2012	RSGU1 20/12 CF-EPDM	20	12	5,3
1105-0000-0615	RSGU1 06/15 CF-EPDM	6	15	6,4
1105-0000-0815	RSGU1 08/15 CF-EPDM	8	15	6,4
1105-0000-0915	RSGU1 09/15 CF-EPDM	9	15	6,4
1105-0000-1015	RSGU1 10/15 CF-EPDM	10	15	6,4
1105-0000-1215	RSGU1 12/15 CF-EPDM	12	15	6,4
1105-0000-1315	RSGU1 13/15 CF-EPDM	13	15	6,4
1105-0000-1515	RSGU1 15/15 CF-EPDM	15	15	6,4
1105-0000-1615	RSGU1 16/15 CF-EPDM	16	15	6,4
1105-0000-1815	RSGU1 18/15 CF-EPDM	18	15	6,4
1105-0000-2015	RSGU1 20/15 CF-EPDM	20	15	6,4
1105-0000-2215	RSGU1 22/15 CF-EPDM	22	15	6,4
1105-0000-2515	RSGU1 25/15 CF-EPDM	25	15	6,4

Multiple sizes and dimensions available on request.


Item No.	Description	ØD	B	ØD1
1105-2000-0412	RSGU1 04/12 SS-EPDM	4	12	5,3
1105-2000-0612	RSGU1 06/12 SS-EPDM	6	12	5,3
1105-2000-0812	RSGU1 08/12 SS-EPDM	8	12	5,3
1105-2000-1012	RSGU1 10/12 SS-EPDM	10	12	5,3
1105-2000-1212	RSGU1 12/12 SS-EPDM	12	12	5,3
1105-2000-1512	RSGU1 15/12 SS-EPDM	15	12	5,3
1105-2000-1812	RSGU1 18/12 SS-EPDM	18	12	5,3

Multiple sizes and dimensions available on request.


Hose clamp

Single mounting

DIN72571



Fluid Fittings
By Hydynamic




Item No.	Description	ØD	L1	T
1110-0000-0401	HC- 1x4 CF	4	9	1
1110-0000-0402	HC- 2x4 CF	4	11	1
1110-0000-0601	HC- 1x6 CF	6	10	1
1110-0000-0602	HC- 2x6 CF	6	13	1
1110-0000-0801	HC- 1x8 CF	8	11	1
1110-0000-0802	HC- 2x8 CF	8	15	1
1110-0000-1001	HC- 1x10 CF	10	11	1
1110-0000-1201	HC- 1x12 CF	12	16	1,5
1110-2000-0401	HC- 1x4 SS	4	9	1
1110-2000-0601	HC- 1x6 SS	6	10	1
1110-2000-0801	HC- 1x8 SS	8	11	1
1110-2000-1001	HC- 1x10 SS	10	11	1

Multiple sizes and dimensions available on request.


Hose clamp

Double mounting

DIN72573



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	L1	T
1114-0000-0401	HC- 1x4 CF	4	17	1
1114-0000-0402	HC- 2x4 CF	4	21	1
1114-0000-0404	HC- 4x4 CF	4	32	1
1114-0000-0406	HC- 6x4 CF	4	40	1
1114-0000-0601	HC- 1x6 CF	6	20	1
1114-0000-0602	HC- 2x6 CF	6	26	1
1114-0000-0603	HC- 3x6 CF	6	33	1
1114-0000-0604	HC- 4x6 CF	6	39	1
1114-0000-0605	HC- 5x6 CF	6	45	1
1114-0000-0606	HC- 6x6 CF	6	52	1
1114-0000-0801	HC- 1x8 CF	8	22	1
1114-0000-0802	HC- 2x8 CF	8	30	1
1114-0000-0803	HC- 3x8 CF	8	39	1
1114-0000-0804	HC- 4x8 CF	8	47	1
1114-0000-0805	HC- 5x8 CF	8	56	1


Multiple sizes and dimensions available on request.

Item No.	Description	ØD	L1	T
1114-2000-0601	HC- 1x6 SS	6	20	1
1114-2000-0602	HC- 2x6 SS	6	26	1
1114-2000-0603	HC- 3x6 SS	6	33	1
1114-2000-0604	HC- 4x6 SS	6	39	1
1114-2000-0605	HC- 5x6 SS	6	45	1
1114-2000-0606	HC- 6x6 SS	6	52	1
1114-2000-0801	HC- 1x8 SS	8	22	1
1114-2000-0802	HC- 2x8 SS	8	30	1
1114-2000-0803	HC- 3x8 SS	8	39	1
1114-2000-0804	HC- 4x8 SS	8	47	1


Multiple sizes and dimensions available on request.

Cable ties

Polyamid 6.6



Fluid Fittings
By Hydynamic



Item No.	Description	L1	B
1108-0025-0140	CT- 2,5x140	140	2,5
1108-0048-0200	CT- 4,8x200	200	4,8
1108-0048-0380	CT- 4,8x380	380	4,8
1108-0076-0368	CT- 7,6x368	368	7,6
1108-0090-0780	CT- 9,0x780	780	9



Multiple sizes and dimensions available on request.

Socket

Female parallel thread with profiled bore



Fluid Fittings
By Hydynamic



Item No.	Description	G	L1	SW1
2854-0000-0808	SOCKET M8x1 ZINI	M8x1	27	11
2854-0000-1010	SOCKET M10x1 ZINI	M10x1	30	14

Multiple sizes and dimensions available on request.


Elbow banjo swivel

Male taper thread/Female parallel thread with profiled bore

Clip material: Stainless Steel



Fluid Fittings
By Hydynamic



Item No.	Description	G Male	G1 Female	L1	L2	L3	SW1	SW2	Rotation
2840-3000-0806	SWV M8x1-M6x1 BS/NBR	M6x1 tap	M8x1	30	8	26	14	15	1/min
2840-3000-0808	SWV M8x1-M8x1 BS/NBR	M8x1 tap	M8x1	30	8	26	14	15	1/min
2840-3000-0809	SWV M8x1-M8x1,25 BS/NBR	M8x1,25 tap	M8x1	30	8	26	14	15	1/min
2840-3000-0810	SWV M8x1-M10x1 BS/NBR	M10x1 tap	M8x1	30	8	26	14	15	1/min
2840-3000-1006	SWV M6x1-M10x1 BS/NBR	M6x1 tap	M10x1	30	8	29	14	15	1/min
2840-3000-1008	SWV M10x1-M8x1 BS/NBR	M8x1 tap	M10x1	30	8	29	14	15	1/min
2840-3000-1010	SWV M10x1-M10x1 BS/NBR	M10x1 tap	M10x1	30	8	29	14	15	1/min
2840-3100-0802	SWV M8x1-R1/8 BS/NBR	R1/8 tap	M8x1	30	8	26	14	15	1/min
2840-3100-1002	SWV M10x1-R1/8 BS/NBR	R1/8 tap	M10x1	30	8	29	14	15	1/min


Multiple sizes and dimensions available on request.

Elbow adapter

Male taper thread/Female parallel thread with profiled bore



Fluid Fittings
By Hydynamic



Item No.	Description	G Male	G1 Female	L1	L2	L3	L4	SW1
2853-3000-0406	EA M8x1-M6x1 BS	M6x1 tap	M8x1	13,5	13,5	7,5	19,5	11
2853-3000-0408	EA M8x1-M8x1 BS	M8x1 tap	M8x1	13,5	13,5	7,5	19,5	11
2853-3000-0410	EA M8x1-M10x1 BS	M10x1 tap	M8x1	13,5	13,5	7,5	19,5	11


Multiple sizes and dimensions available on request.

Swivel connector

Male parallel thread/Female parallel thread



Fluid Fittings
By Hydynamic




Item No.	Description	G Male	G1 Female	D	L1	L2	L3	SW1
2843-0000-1510	B G1/8-M10x1 D15/L8 ZINI/NBR	M10x1	1/8	15	40	10	8	17
2843-0000-2010	B G1/8-M10x1 D20/L3 ZINI/NBR	M10x1	1/8	20	40	15	3	17
2843-0000-2110	B G1/8-M10x1 D20/L8 ZINI/NBR	M10x1	1/8	20	40	10	8	17
2843-0100-1502	B G1/8-R1/8 D15/L8 ZINI/NBR	1/8	1/8	15	40	10	8	17
2843-0100-2002	B G1/8-1/8 D20/L3 ZINI/NBR	1/8	1/8	20	40	15	3	17
2843-0100-2102	B G1/8-1/8 D20/L8 ZINI/NBR	1/8	1/8	20	40	10	8	17
2843-0100-2103	B G1/8-1/8 D20/L8 50 ZINI/NBR	1/8	1/8	20	50	20	8	17


Multiple sizes and dimensions available on request.

T-Banjo connector

Parallel threads



Fluid Fittings
By Hydynamic



Item No.	Description	G Male	G1 Female	G1 Female	L1	L2	L3	SW1	SW2
2841-0010-1010	T-SWV M10x1 ZINI	M01x1	M10x1	M10x1	26,75	33	13,5	14	14


Multiple sizes and dimensions available on request.

Elbow male stud

24° cone end/Male taper thread - with grease nipple
DIN2353



Fluid Fittings
By Hydynamic



Item No.	Description	ØD	Serie	G	L1	L2	L3	SW1	SW2
0419-0003-0611	WE 06 LLM 10x1 ZINI Profile - GN	6	LL	M10x1	21	17	Approx 32,5	11	12

Multiple sizes and dimensions available on request.



Fluid Fittings
By Hydynamic

Hydynamic Holland B.V.

Marssteden 28,
7547 TC Enschede
T: +31(0) 53 428 2048
request@hydynamic.nl